References:

[1] W. Yan, H. Jian-feng, C. Li-yun, Z. Hui, H. Hai-yan, W. Jian-peng (2009) Preparation of Bi_2S_3 thin films with a nanoleaf structure by electrodeposition method *Appl. Surf. Sci.* **255** 7749–7752.

[2] A.U. Ubale (2010) Effect of complexing agent on growth process and properties of nanostructured Bi_2S_3 thin films deposited by chemical bath deposition method *Mater. Chem. Phys.* **121** 555–560.

[3] R.S. Mane, B.R. Sankapal, C.D. Lokhande (1999) Photoelectrochemical cells based on chemically deposited nanocrystalline Bi_2S_3 thin films *Mater. Chem. Phys.* **60** 196-203.

[4] J.D. Desai, C.D. Lokhande (1995) Chemical deposition of Bi_2S_3 thin films from thioacetamide bath *Mater. Chem. Phys.* **41** 98-103.

[5] V.V. Killedar, S.N. Katore, C.H. Bhosale (2000) Preparation and characterization of electrodeposited Bi_2S_3 thin films prepared from non-aqueous media *Mater. Chem. Phys.* **64** 166–169.

[6] B.R. Sankapal, R.S. Mane, C.D. Lokhande (2000) Preparation and characterization of Bi_2Se_3 thin films deposited by successive ionic layer adsorption and reaction (SILAR) method *Mater. Chem. Phys.* **63** 230-234.

[7] A.R. Patil, V.N. Patil, M.A. Anuse, P.N. Bhosale, L.P. Deshmukh (2002) Chemical compositional analysis of semiconducting bismuth sulphoselenide thin films *Thin Solid Films* **414** 155–162.

[8] A.P. Torane, C.D. Lokhande, P.S. Patil, C.H. Bhosale (1998) Preparation and characterization of electrodeposited Bi_2Se_3 thin films *Mater. Chem. Phys*. **55** 51-54.

[9] B.R. Sankapal, C.D. Lokhande (2001) Studies on photoelectrochemical (PEC) Cell formed with SILAR deposited Bi_2Se_3-Sb_2Se_3 multilayer thin films *Sol. Ener. Mater. Sol. Cells* **69** (2001) 43-52.

[10] B.R. Sankapal, C.D. Lokhande (2002) Effect of annealing on chemically deposited Bi_2Se_3–Sb_2Se_3 composite thin films *Mater. Chem. Phys.* **74** 126–133.

[11] H. Kose, M. Bicer, C. Tutunoglu, A. Aydın, I. Sisman (2009) The underpotential deposition of $Bi_2Te_{3-y}Se_y$ thin films by an electrochemical co-deposition method *Electroch. Acta* **54** 1680–1686.

[12] H.L. Ni, T.J. Zhu, X.B. Zhao Thermoelectric properties of hydrothermally synthesized and hot pressed n-type Bi_2Te_3 alloys with different contents of Te *Mater. Sci. Engin. B* **117** 119–122.

[13] A.R. Patil, V.N. Patil, P.N. Bhosale, L.P. Deshmukh (2000) A study of bismuth sulphoselenide thin films: growth from the solution and properties *Mater. Chem. Phys*. **65** 266–274.

[14] S.R. Gadakh, C.H. Bhosale (2000) Effect of concentration of complexing agent (tartaric acid) on spray-deposited Bi_2S_3 films *Mater. Res. Bull.* **35** 1097–1106.

[15] R.K. Mane, B.D. Ajalkar, P.N. Bhosale, (2003) Electrical and optical properties of bismuth sulphotelluride ($Bi_2(S_{1-x}Te_x)_3$) thin films prepared by arrested precipitation technique (APT) *Mater. Chem. Phys.* **82** 534–537.

[16] S.D. Sartale, C.D. Lokhande (2000) Preparation and characterization of As_2S_3 thin films deposited using successive ionic layer adsorption and reaction (SILAR) method *Mater. Res. Bull.* **35** 1345–1353.

[17] D.C. Sati, R. Kumar, R. M. Mehra (2006) Influence of Thickness on Optical Properties of a: As_2Se_3 Thin Films *Turk J Phys* **30** 519 – 527.

[18] R.S. Mane, C.D. Lokhande (2002) Studies on structural, optical and electrical Properties of indium sulfide thin films. *Mater. Chem. Phys.* **78** 15–17.

[19] H.M. Pathan, C.D. Lokhande, S.S. Kulkarni, D.P. Amalnerkar, T. Seth, S. Han (2005) Some studies on successive ionic layer adsorption and reaction (SILAR) grown indium sulphide thin films *Mater. Res. Bull.* **40** 1018–1023.

[20] J.F. Trigo, B. Asenjo, J. Herrero, M.T. Gutierrez (2008) Optical characterization of In_2S_3 solar cell buffer layers grown by chemical bath and physical vapor deposition *Sol. Ener. Mater. Sol. Cells* **92** 1145– 1148.

[21] A.M. A. Haleem, M. Ichimura (2008) Electrochemical deposition of indium sulfide thin films using two-step pulse biasing *Thin Solid Films* **516** 7783–7789.

[22] A.F. Qasrawi (2006) Temperature dependence of the direct allowed transitions band gap and optical constants of polycrystalline α-In_2Se_3 thin films *Thin Solid Films* **514** 267–271.

[23] M A Afifi, N A Hegab, A E Bekheet (1994) Effect of annealing on the electrical properties of In_2Se_3, thin films *Vacuum* **46** 335-339.

[24] H. Bouzouita, N. Bouguila, S. Duchemin, S. Fiechter, A. Dhouib (2002) Preparation and characterization of In_2Se_3 thin films *Renewable Ener*. **25** 131–138.

[25] H.M. Pathan, S.S. Kulkarni, R.S. Mane, C.D. Lokhande (2005) Preparation and characterization of indium selenide thin films from a chemical route *Mater. Chem. Phys.* **93** 16–20.

[26] M. Emziane, S. Marsillac, J.C. Bernede (2000) Preparation of highly oriented α-In2Se3 thin films by a simple technique *Mater. Chem. Phys.* **62** 84-87.

[27] M.R. Asabe, P.A. Chate, S.D. Delekar, K.M. Garadkar, I.S. Mulla, P.P. Hankare (2008) Synthesis, characterization of chemically deposited indium selenide thin films at room temperature *J. Phys. Chem. Solids* **69** 249–254.

[28] S. N. Sahu (1995) Preparation, structure, composition, optical and Photoelectrochemical properties of vacuum annealed In-Se thin films *Thin Solid Films* **261** 98-106.

[29] R.Vaidyanathan, J. L. Stickney, S. M. Cox, S. P. Compton, U. Happek (2003) Formation of In_2Se_3 thin films and nanostructures using electrochemical Atomic layer epitaxy *J. Electroanal. Chem.* **559** 55- 61.

[30] R. Sreekumar, P.Kumar, C. Kartha, K. Vijayakumar, D. Kabiraj, S. Khan, D. Avasthi (2006) SHI induced single-phase InSe formation at lower annealing temperature *Nucl. Instr. Meth. Phys. Res. B* **244** 190–193.

[31] C.D. Lokhande, B.R. Sankapal, R.S. Mane, H.M. Pathan, M. Muller, M. Giersig, V. Ganesan (2002) XRD, SEM, AFM, HRTEM, EDAX and RBS studies of chemically deposited Sb_2S_3 and Sb_2Se_3 thin films *Appl. Surf. Sci.* **193** 1–10.

[32] B. Krishnan, A. Arato, E. Cardenas, T.K. Das Roy, G.A. Castillo (2008) On the structure, morphology, and optical properties of chemical bath deposited Sb_2S_3 thin films *Appl. Surf. Sci* **254** 3200–3206.

[33] S.Messina, M.Nair P Nair (2008) Antimony sulphide thin film as an absorber in chemically deposited solar cells *J. Phys. D: Appl. Phys.* **41** 1-9.

[34] N. Tigau, G. Rusua, V. Ciupinab, G. Prodanb, E. Vasile (2005) Structural and electrical properties of antimony trisulphide thin films. *J. Optoelectron. Adv. Mater.* **7** 727 – 732.

[35] R.S. Mane, C.D. Lokhande (2003) Thickness-dependent properties of chemically deposited Sb_2S_3 thin films *Mater. Chem. Phys.* **82** 347–354.

[36] K.Y. Rajpure, C.H. Bhosale (2000) (Photo)electrochemical investigations on spray deposited n-Sb_2S_3 thin film/polyiodide/C photoelectrochemical solar cells *Mater. Chem. Phys.* 63 263-269.

[37] R.S. Mane, C.D. Lokhande (2002) Photoelectrochemical cells based on nanocrystalline Sb_2S_3 thin films *Mater. Chem. Phys.* **78** 385–392.

[38] F. I. Ezema, A. B. C. Ekwealor, P. U. Asogwa, P. E. Ugwuoke, C. Chigbo R. U. Osuji (2007) Optical properties and structural characterizations of sb_2s_3 thin films deposited by chemical bath deposition technique *Turk J Phys* **31** 205 – 210.

[39] M.Y. Versavel, J.A. Haber (2007) Structural and optical properties of amorphous and crystalline antimony sulfide thin-films *Thin Solid Films* **515** 7171–7176.

[40] K.Y. Rajpure, C.D. Lokhande, C.H. Bhosale (1999) A comparative study of the properties of spray-deposited Sb_2Se_3 thin films prepared from aqueous and nonaqueous media *Mater. Res. Bull*. **34** 1079–1087.

[41] Y. Rodrıguez-Lazcano, Y. Pena, M. Nair, P. (2005) Nair Polycrystalline thin films of antimony selenide via chemical bath deposition and post deposition treatments *Thin Solid Films* **493** 77 – 82.

[42] S. Messina, M. Nair, P. Nair (2009) Solar cells with Sb_2S_3 absorber films *Thin Solid Films* **517** 2503–2507.